
CS380: Computer Graphics

2D Imaging and Transformation

Sung-Eui Yoon
(윤성익)

Course URL:
<http://sglab.kaist.ac.kr/~sungeui/CG>

KAIST




Class Objectives

- Write down simple 2D transformation matrixes
- Understand the homogeneous coordinates and its benefits
- Know OpenGL-transformation related API
- Implement idle-based animation method

- Related chapter in the book
 - 2.2 2D Transformation

2D Geometric Transforms

- Functions to map points from one place to another
- Geometric transforms can be applied to
 - Drawing primitives (points, lines, conics, triangles)
 - Pixel coordinates of an image



Demo

Translation

- Translations have the following form:

$$\begin{aligned}x' &= x + t_x \\ y' &= y + t_y\end{aligned} \quad \begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} t_x \\ t_y \end{bmatrix}$$

- *inverse function*: undoes the translation:

$$\begin{aligned}x &= x' - t_x \\ y &= y' - t_y\end{aligned}$$

- *identity*: leaves every point unchanged

$$\begin{aligned}x' &= x + 0 \\ y' &= y + 0\end{aligned}$$

2D Rotations

- Another group - rotation about the origin:

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = R \begin{bmatrix} x \\ y \end{bmatrix}$$

$$R^{-1} = \begin{bmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{bmatrix}$$

$$R_{\theta=0} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Rotations in Series

- We want to rotate the object 30 degree and, then, 60 degree

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(60) & -\sin(60) \\ \sin(60) & \cos(60) \end{bmatrix} \begin{bmatrix} \cos(30) & -\sin(30) \\ \sin(30) & \cos(30) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$




**We can merge
multiple rotations into
one rotation matrix**

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(90) & -\sin(90) \\ \sin(90) & \cos(90) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

Euclidean Transforms

- Euclidean Group
 - Translations + rotations
 - Rigid body transforms
- Properties:
 - Preserve distances
 - Preserve angles
 - How do you represent these functions?




$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} t_x \\ t_y \end{bmatrix}$$

Problems with this Form


- **Translation and rotation considered separately**
 - Typically we perform a series of rotations and translations to place objects in world space
 - It's inconvenient and inefficient in the previous form
 - Inverse transform involves multiple steps
- **How can we address it?**
 - How can we represent the translation as a matrix multiplication?

Homogeneous Coordinates

- Consider our 2D plane as a subspace within 3D



(x, y)




(x, y, z)

Matrix Multiplications and Homogeneous Coordinates

- Can use any planar subspace that does not contain the origin
- Assume our 2D space lies on the 3D plane $z = 1$
 - Now we can express all Euclidean transforms in matrix form:

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta & t_x \\ \sin \theta & \cos \theta & t_y \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Scaling



- **S** is a scaling factor

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} s & 0 & 0 \\ 0 & s & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$


Example: World Space to NDC

$$\frac{x_n - (-1)}{1 - (-1)} = \frac{x_w - (w.l)}{w.r - w.l}$$

$$x_n = 2 \frac{x_w - (w.l)}{w.r - w.l} - 1$$

$$x_n = Ax_w + B$$

$$A = \frac{2}{w.r - w.l}, \quad B = -\frac{w.r + w.l}{w.r - w.l}$$





Example: World Space to NDC

- Now, it can be accomplished via a matrix multiplication
 - Also, conceptually simple

$$\begin{bmatrix} x_n \\ y_n \\ 1 \end{bmatrix} = \begin{bmatrix} \frac{2}{w.r-w.l} & 0 & -\frac{w.r+w.l}{w.r-w.l} \\ 0 & \frac{2}{w.t-w.b} & -\frac{w.t+w.b}{w.t-w.b} \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_w \\ y_w \\ 1 \end{bmatrix}$$


Shearing

- Push things sideways
- Shear along x-axis
- Shear along y-axis




Reflection

- Reflection about x-axis




- Reflection about y-axis



Composition of 2D Transformation


- Quite common to apply more than one transformations to an object
 - E.g., $v_2 = Sv_1$, $v_3 = Rv_2$, where S and R are scaling and Rotation matrix
- Then, we can use the following representation:

- $v_3 = R(Sv_1)$ or
- $v_3 = (RS)v_1$
- why?



Transformation Order

- Order of transforms is very important
 - Why?



Affine Transformations

- Transformed points (x', y') have the following form:

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

- Combinations of translations, rotations, scaling, reflection, shears
- Properties
 - Parallel lines are preserved
 - Finite points map to finite points

Rigid-Body Transforms in OpenGL

`glTranslate (tx, ty, tz);`


`glRotate (angleInDegrees, axisX, axisY, axisZ);`

`glScale(sx, sy, sz);`

OpenGL uses matrix format internally.

- glm (Ver. 4.3) stands for OpenGL Mathematics

OpenGL Example – Rectangle Animation (double.c)



Demo

Main Display Function

```
void display(void)
{
    glClear(GL_COLOR_BUFFER_BIT);

    glPushMatrix();
    glRotatef(spin, 0.0, 0.0, 1.0);
    glColor3f(1.0, 1.0, 1.0);
    glRectf(-25.0, -25.0, 25.0, 25.0);
    glPopMatrix();

    glutSwapBuffers();
}
```

Frame Buffer

- Contains an image for the final visualization
- Color buffer, depth buffer, etc.

- Buffer initialization
 - `glClear(GL_COLOR_BUFFER_BIT);`
 - `glClearColor(..);`
- Buffer creation
 - `glutInitDisplayMode (GLUT_DOUBLE | GLUT_RGB);`
- Buffer swap
 - `glutSwapBuffers();`

Matrix Stacks

- **OpenGL maintains matrix stacks**
 - Provides pop and push operations
 - Convenient for transformation operations
- **glMatrixMode()** sets the current stack
 - **GL_MODELVIEW, GL_PROJECTION, or GL_TEXTURE**
- **glPushMatrix()** and **glPopMatrix()** are used to manipulate the stacks

OpenGL Matrix Operations

`glTranslate(tx, ty, tz)`

`glRotate(angleInDegrees, axisX, axisY, axisZ)`

`glMultMatrix(*arrayOf16InColumnMajorOrder)`

**Concatenate
with the
current matrix**

`glLoadMatrix (*arrayOf16InColumnMajorOrder)`

`glLoadIdentity()`

**Overwrite the
current matrix**

Matrix Specification in OpenGL

- Column-major ordering

$$M = \begin{bmatrix} m_1 & m_5 & m_9 & m_{13} \\ m_2 & m_6 & m_{10} & m_{14} \\ m_3 & m_7 & m_{11} & m_{15} \\ m_4 & m_8 & m_{12} & m_{16} \end{bmatrix}$$

- Reverse to the typical C-convention (e.g., $m[i][j]$: row i & column j)
- Better to declare $m[16]$
- Also, `glLoadTransportMatrix*()` & `glMultTransposeMatrix*()` are available

Animation

- It consists of “redraw” and “swap”
- It's desirable to provide more than 30 frames per second (fps) for interactive applications
- We will look at an animation example based on idle-callback function

Idle-based Animation

```
void mouse(int button, int state, int x, int y)
{
    switch (button) {
        case GLUT_LEFT_BUTTON:
            if (state == GLUT_DOWN)
                glutIdleFunc (spinDisplay);
            break;
        case GLUT_RIGHT_BUTTON:
            if (state == GLUT_DOWN)
                glutIdleFunc (NULL);
            break;
    }
}
```

```
void spinDisplay(void)
{
    spin = spin + 2.0;
    if (spin > 360.0)
        spin = spin - 360.0;
    glutPostRedisplay();
}
```

Class Objectives were:

- Write down simple 2D transformation matrixes
- Understand the homogeneous coordinates and its benefits
- Know OpenGL-transformation related API
- Implement idle-based animation method

Homework

- Go over the next lecture slides before the class
- Watch 2 SIGGRAPH videos and submit your summaries before every Tue. class
 - Submit online
 - Just one paragraph for each summary

Example:

Title: XXX XXXX XXXX

Abstract: this video is about accelerating the performance of ray tracing. To achieve its goal, they design a new technique for reordering rays, since by doing so, they can improve the ray coherence and thus improve the overall performance.

Any Questions?

- **Come up with one question on what we have discussed in the class and submit at the end of the class**
 - 1 for already answered questions
 - 2 for typical questions
 - 3 for questions with thoughts or that surprised me
- **Submit at least four times during the whole semester**

Next Time

- 3D transformations